

Report No.: SFT21100825216-08E

Date: Oct.15, 2021

Page 1 of 12

Applicant:	Radiolink Electronic Limited	
Address:	3/F,Building 2, Fuguo industrial park, Kaifeng Road, Meilin, Shenzhen, Guango	dong China

The following mercha	andise was (were) submitted and identified by client as:
Sample Name:	Radio Control
Model No.:	T8FB
Additional No.:	with R8EFM receiver
Manufacturer:	Radiolink Electronic Limited
Address:	3/F,Building 2, Fuguo industrial park, Kaifeng Road, Meilin, Shenzhen, Guangdong China
Test Period:	From Oct.08, 2021 to Oct.12, 2021

SUMMARY OF TEST RESULTS

CONCLUSION
PASS

Test Result(s): Please refer to next page(s).



Guangdong Safety Testing Co., Ltd.

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.



Report No.: SFT21100825216-08E

Date: Oct.15, 2021

Page 2 of 12

Photo of the Submitted Sample



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.



Test Report

Date: Oct.15, 2021

Page 3 of 12



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the $1^{\mbox{st}}$ North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China


Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/



Test Report

Date: Oct.15, 2021

Page 4 of 12



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.



Report No.: SFT21100825216-08E

Date: Oct.15, 2021

Page 5 of 12

<u>Test Item(s)</u>	Component Description(s)	Style
C 1 C	Black plastic with silver/red/black printing	
2	Silver sticker with multicolor printing	10
3	Silver metal	<u> </u>
4	Silver metal with black coating	5-2
5	Black plastic	
6	Copper metal	-
7	Red soft plastic wire jacket with black printing	1,2
8	Black soft plastic wire jacket with white printing	X - /
9	РСВ	- 6
10	Yellow soft plastic wire jacket	-, ()
11	Blue soft plastic wire jacket	
12	Red soft plastic wire jacket	-
13	Black soft plastic wire jacket	<u> </u>
14	Red soft plastic wire jacket	
15	Black soft plastic wire jacket	
16	White soft plastic wire jacket	-
17	Silver metal	
18	Transparent soft plastic wire jacket	X - /
19	Copper metal	CX - 1
20	Gray soft plastic wire jacket	7 - CV
21	РСВ	-0-
22	Beige plastic	6
23	Silver solder tin	
24	White plastic tube	
25	Black	0 - 2
26	Black plastic	-
27	Black plastic tube	6
28	Red soft plastic wire jacket	<u> </u>
29	Black soft plastic wire jacket	
30	Crystal oscillator	$\mathbb{N} \to \mathbb{O}$
31	РСВ	

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.



Report No.: SFT21100825216-08E

Date: Oct.15, 2021

Page 6 of 12

Test Result(s):

<u>Heavy Metals</u>, Flame Retardants Content - European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments Commission Delegated Directive (EU) 2015/863

Test Method:

See Appendix.

See Analytes and their corresponding Maximum Allowable Limit in Appendix

Parameter	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs	PBDEs	Conclusion
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-,5
Test Item(s)	-	2	-	-	D-	<u> </u>	`<
001	ND	ND	ND	ND	ND	ND	PASS
002	ND	ND	ND	ND 🧹	ND	ND	PASS
003	ND	ND	ND	ND	NA 📉	NA	PASS
004	ND	ND	ND	ND	NA	NA	PASS
005	ND	ND	ND	ND	ND	ND	PASS
006	ND	ND	ND	ND	NA	NA	PASS
007	ND	ND	ND	ND	ND	ND	PASS
008	ND	ND	ND	ND	ND	ND	PASS
009	ND	ND	ND	ND	ND*	ND*	PASS
010	ND	ND	ND	ND	ND	ND	PASS
011	ND	ND	ND	ND	ND	ND	PASS
012	ND	ND	ND	ND	ND	ND	PASS
013	ND	ND	ND	ND	ND	ND	PASS
014	ND	ND	ND	ND	ND	ND	PASS
015	ND	ND	ND	ND	ND	ND	PASS
016	ND	ND	ND	ND	ND	ND	PASS
017	95*	ND	ND	ND	NA	NA	PASS
018	ND	ND	ND	ND	ND	ND	PASS
019	ND	ND	ND	ND	NA	NA	PASS
020	ND	ND	ND	ND	ND	ND	PASS
021	ND	ND	ND	ND	ND*	ND*	PASS
022	ND	ND	ND	ND	ND	ND	PASS
023	ND	ND	ND	ND	NA	- NA	PASS
024	ND	ND	ND	ND	ND	ND	PASS
025	ND	ND	ND	ND	ND	ND	PASS
026	ND	ND	ND	ND	ND*	ND*	PASS
027	ND	ND	ND	ND	ND	ND	PASS
028	ND	ND	ND	ND	ND	ND	PASS
029	ND	ND 🤇	ND	ND	ND	ND	PASS
030	ND	ND	ND	ND	ND	ND	PASS
031	ND	ND	ND	ND	ND*	ND*	PASS

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China

Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/



Test Report

Date: Oct.15, 2021

Page 7 of 12

Note / Key:

ND = Not detected">" = Greater thanNA= Not applicablemg/kg = milligram(s) per kilogram = ppm = part(s) per million% = percent10000 mg/kg = 1 %Detection Limit: See Appendix.

<u>Phthalates Content - European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous</u> <u>Substances in Electrical and Electronic Equipment (RoHS) with its Amendments Commission Delegated Directive</u> (EU) 2015/863

	Requirement	Result (mg/kg) Test Item				
Analyte						
$\langle \langle \langle \rangle \rangle$	(mg/kg)	1+5+26	10+11+12	14+15+16		
Dibutyl phthalate (DBP)	1000	ND	780	ND		
Di-(2-ethyl hexyl) phthalate (DEHP)	1000	ND	ND	ND		
Benzyl butyl phthalate (BBP)	1000	ND	ND	ND		
Di-(iso-butyl) phthalate (DIBP)	1000	ND	ND	ND		
Conclusion	PASS	PASS	PASS			

Note / Key:

ND = Not detected NA= Not applicable % = percent Report Limit: See Appendix.

">" = Greater than mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 %

Remark:

The testing approach is listed in table of Appendix.

* denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, non-uniformity composition, surface flatness.

- Only selected example(s) is (are) indicated on the photograph(s) in Comment.
- According to European Council Directive 2011/65/EU, Article 5 "Adaptation of the Annexes to scientific and technical progress", exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.
- Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Council Directive 2011/65/EU, Article 4(1).

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.



Report No.: SFT21100825216-08E

Date: Oct.15, 2021

Page 8 of 12

- a. The sample is positive for Cr^{6+} if the Cr^{6+} concentration is greater than $0.13\mu g/cm^2$, The sample coating is considered to contain Cr^{6+} .
 - b. The sample is negative for Cr^{6+} if the Cr^{6+} is N.D. (concentration less than $0.10\mu g/cm^2$), The coating is considered a non- Cr^{6+} based coating.
- c. The result between $0.10\mu g/cm^2$ and $0.13\mu g/cm^2$ is considered to be inconclusive-unavoidable coating variations may influence the determination information on storage conditions and production date of the tested sample is unavailable and thus Cr^{6+} results represent status of the sample at the time of testing.
- Although the Test Item(s) < 10+11+12 > complies (comply) with the above requirement, it is possible that, if tested separately, one or more of the constituents of this (these) Test Item(s) may not comply with this requirement.

APPENDIX

List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [for European Council Directive 2011/65/EU&(EU) 2015/863] : **Report Limit** (mg/kg) **Maximum Allowable** X-ray fluorescence (XRF)^[a] No. Name of Analytes Limit Wet Metallic (mg/kg) Chemistry Plastic / glass / Others ceramic $10^{[b]}$ 1 Lead (Pb) 100 200 1000 200 10^[b] 2 Cadmium (Cd) 50 50 50 100 $10^{[c]}$ 200 3 Mercury (Hg) 100 200 1000 4 Chromium (Cr) 100 200 200 NA NA 10^[d] 5 Chromium VI (Cr VI) NA NA NA 1000 / Negative See^[e] 200 200 NA 6 Bromine (Br) NA NA Polybromobiphenyls (PBBs) - Bromobiphenyl (MonoBB) - Dibromobiphenyl (DiBB) - Tribromobiphenyl (TriBB) - Tetrabromobiphenyl (TetraBB) 7 Each 50^[f] Sum 1000 - Pentabromobiphenyl (PentaBB) NA NA NA - Hexabromobiphenyl (HexaBB) - Heptabromobiphenyl (HeptaBB) - Octabromobiphenyl (OctaBB) - Nonabromobiphenyl (NonaBB) - Decabromobiphenyl (DecaBB) Polybromodiphenyl ethers (PBDEs) - Bromodiphenyl ether (MonoBDE) - Dibromodiphenyl ether (DiBDE) - Tribromodiphenyl ether (TriBDÉ) - Tetrabromodiphenyl ether (TetraBDE) Pentabromodiphenyl ether (PentaBDE)
Hexabromodiphenyl ether (HexaBDE) Each 50^[f] NA NA Sum 1000 8 NA - Heptabromodiphenyl ether (HeptaBDE) - Octabromodiphenyl ether (OctaBDE) - Nonabromodiphenyl ether (NonaBDE) - Decabromodiphenyl ether (DecaBDE)

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China

Tel:86-769-23105888 Fax: 86-769-22899858 http://www.sft-cert.com/



Report No.: SFT21100825216-08E Date: Oct.15, 2021 Page 9 of 12 Dibutyl phthalate (DBP) Di-(2-ethyl hexyl) phthalate (DEHP) Each 50^[g] 9 NA NA NA Each 1000 Benzyl butyl phthalate (BBP) Di-(iso-butyl) phthalate (DIBP) NA = Not applicable [a] Test method with reference to IEC 62321-3-1:2013. [b] Test method with reference to IEC 62321-5:2013. [c] Test method with reference to IEC 62321-4:2013. [d] Polymers and Electronic-Test method with reference to European standard IEC 62321-7-2:2017. [e] Metal-Test method with reference to European standard IEC 62321-7-1:2015. [f] Test method with reference to European standard IEC 62321-6: 2015. [g] Test method with reference to IEC 62321-8:2017.

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,


Guangdong Safety Testing Co., Ltd.



Test Report

Date: Oct.15, 2021

Page 10 of 12



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China

Tel:86-769-23105888 Fax: 86-769-22899858

58 http://www.sft-cert.com/




Report No.: SFT21100825216-08E

Date: Oct.15, 2021

Page 11 of 12

PBBs/PBDEs Testing Flow Chart



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,


Guangdong Safety Testing Co., Ltd.



Report No.: SFT21100825216-08E

Date: Oct.15, 2021

Page 12 of 12



End of Report

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.